

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail with postage prepaid in an envelope addressed to: Certificates of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on August 11, 2004.

 8/11/04
David H. Brinkman, Reg. No. 40,532 Date

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: Mertens et al.
Patent No.: 6,757,637 ^{B2}
Issue Date: June 29, 2004
Serial No.: 09/965,416
Filed: September 27, 2001
Title: **METHOD FOR CHECKING THE CONTENT OF POCKETS
IN A BLISTER PACKAGE**
Atty Docket No.: KST-02

Cincinnati, OH

August 11, 2004

Certificates of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**Certificate
AUG 18 2004
of Correction**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKES (37 C.F.R. § 1.322(a))**

Sir:

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains printing errors that occurred through the fault of the Patent Office as follows:

In column 2, line 14, change "significant Increase in" to --significant increase in--, as appears in the Specification at page 3, line 3.

AUG 18 2004

In column 2, line 67, change "Invention;" to --invention;--, as appears in the Specification at page 4, line 17.

In column 3, line 23, change "The pro-amplifier 7," to --The pre-amplifier 7,--, as appears in the Amendment dated September 2, 2003.

In column 3, line 55, change "packages are dosed" to --packages are closed--, as appears in the Specification at page 5, line 28.

In column 4, line 5, change "signal is delivered" to --signal is delivered--, as appears in the Specification at page 5, line 33.

In column 4, line 21, change "packaging is sorted out," to --packaging is sorted out.--, as appears in the Specification at page 6, line 12.

In accordance with the established procedure for handling such certificates, two copies of PTO-1050 are enclosed herewith listing the errors.

Applicants do not believe that any fees are due in connection with this response. However, if such petition is due or any other fees are necessary, the Commissioner may consider this to be a request for such and charge any necessary fees to Deposit Account No. 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By 

David H. Brinkman

Reg. No. 40,532

2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202
(513) 241-2324 - Voice
(513) 421-7269 - Facsimile

Staple
Here
Only

Printer's
Trim
Line

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,757,637 *B2*

DATED : June 29, 2004

INVENTOR(S) : Mertens et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 2, line 14, change "significant Increase in" to --significant increase in--, as appears in the Specification at page 3, line 3.

In column 2, line 67, change "Invention;" to --invention;--, as appears in the Specification at page 4, line 17.

In column 3, line 23, change "The pro-amplifier 7," to --The pre-amplifier 7,--, as appears in the Amendment dated September 2, 2003.

In column 3, line 55, change "packages are dosed" to --packages are closed--, as appears in the Specification at page 5, line 28.

In column 4, line 5, change "signal is delivered" to --signal is delivered--, as appears in the Specification at page 5, line 33.

In column 4, line 21, change "packaging is sorted out," to --packaging is sorted out.--, as appears in the Specification at page 6, line 12.

MAILING ADDRESS OF SENDER:

WOOD, HERRON & EVANS, L.L.P.
2700 Carew Tower, 441 Vine Street
Cincinnati, Ohio 45202

SUBSTITUTE FORM PTO76-22

PATENT NO. 6,757,637 *B2*
No. of add'l copies
@ 50¢ per page

AUG 18 2004

Staple
Here
Only

Printer's
Trim
Line

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,757,637 *B2*

DATED : June 29, 2004

INVENTOR(S) : Mertens et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 2, line 14, change "significant Increase in" to --significant increase in--, as appears in the Specification at page 3, line 3.

In column 2, line 67, change "Invention;" to --invention;--, as appears in the Specification at page 4, line 17.

In column 3, line 23, change "The pro-amplifier 7," to --The pre-amplifier 7,--, as appears in the Amendment dated September 2, 2003.

In column 3, line 55, change "packages are dosed" to --packages are closed--, as appears in the Specification at page 5, line 28.

In column 4, line 5, change "signal Is delivered" to --signal is delivered--, as appears in the Specification at page 5, line 33.

In column 4, line 21, change "packaging is sorted out," to --packaging is sorted out.--, as appears in the Specification at page 6, line 12.

MAILING ADDRESS OF SENDER:

WOOD, HERRON & EVANS, L.L.P.
2700 Carew Tower, 441 Vine Street
Cincinnati, Ohio 45202

SUBSTITUTE FORM PTO76-22

PATENT NO. 6,757,637 *B2*
No. of add'l copies
@ 50¢ per page

AUG 18 2004